PP DS

Professional Display Solutions

MANUAL ZÁKLADNÍ NASTAVENÍ PHILIPS DISPLEJŮ /ARTEMIS ONE PRO



PPDS is a part of TPV Technology Brand licensee of Royal Philips

1. ZÁKLADNÍ NASTAVENÍ



- Zapnout displej, vložit flash disk se souborem ArtemisOne Pro
- Volba jazyka English START
- Security Settings SKIP
- Signage displays settings— SKIP
- Network settings ethernet NEXT
- Ethernet tlačítkem na ovladači potvrdíme OK



1. ZÁKLADNÍ NASTAVENÍ

- Clone Media Files into Internal SKIP
- Setup Complete Finish
- Allow Deny





2. KONFIGURACE



Na ovladači stiskneme tlačítko s ikonou domečku



2. KONFIGURACE

- Configuration 1
 - Switch on state Last status
 - Boot on source Input Custom Save

Picture	Switch on state	Force on
	Panel saving	Action
Audio	RS232 routing	RS232
	Boot on source	Action
Configuration 2	WOL	Off
Advanced option	Light sensor	Off
	Human sensor	Off
	Configuration1 reset	Action
	Factory reset	Action





2. KONFIGURACE

PPDS

- Configuration 2
 - System rotation Landscape
- Advanced option
 - Date and time Auto sync
 - Choose time zone Amsterdam/Bruse
 - Power save Mode3

Date and time		
Auto Sync		
Set date		
London, Dublin GMT+1:00		
Windhoek GMT+1:00		
W. Africa Time GMT+1:00		
Amsterdam, Berlin GMT+2:00		
Belgrade GMT+2:00		
Brussels GMT+2:00		
Sarajevo GMT+2:00		
Cairo		



Na ovladači stiskneme tlačítko s ikonou domečku + 1888





- Storage USB Zvolit nahraný soubor z USB (artemisOne Pro) OK OPEN
- File manager Settings OK –Install –Done



Zpět do MENU





- Settings
 - Signage display source setting
 - Custom APP OK Select APP ArtemisOne OK











Instalace dokončena





Powering Evolutior

ppds.com